

Pivoting lever drive (Please order lever separately) for position switch 3SE5132 / 3SF11 for 40mm, Switch points according to EN 50041. The switching direction the lever is on left / right or left only or only to the right. Delivery state ist right / left.



Figure similar

Product brand name	SIRIUS
Product designation	Part-turn actuator for position switch 3SE5132
Product type designation	3SE5
Manufacturer's article number	3SE5000-0AJ00
• of the supplied actuator head for position switches	

General technical data	
Shock resistance	30 g / 11 ms
• acc. to IEC 60068-2-27	
Material of the enclosure of the switch head	plastic
Reference code acc. to DIN EN 81346-2	T
Reference code acc. to DIN EN 61346-2	T
Active principle	mechanical
Minimum actuating torque in activation direction	0.25 N·m

Enclosure	
Coating of the enclosure	Other types

Drive Head	
------------	--

Design of the operating mechanism	Twist actuator, without lever or rod
Standard-compliant actuator head	EN 50041

Communication/ Protocol

Design of the interface	without
-------------------------	---------

Ambient conditions

Ambient temperature	
• during operation	-25 ... +85 °C
• during storage	-40 ... +90 °C
Explosion protection category for dust	none

Installation/ mounting/ dimensions

Mounting position	any
Mounting type	lockable plug-in fixing

Certificates/ approvals

General Product Approval	Declaration of Conformity	other
 CSA	 UR	 EAC
	 EG-Konf.	Miscellaneous Confirmation

Further information



Information- and Downloadcenter (Catalogs, Brochures,...)
www.siemens.com/sirius/catalogs

Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SE5000-0AJ00>

Cax online generator
<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SE5000-0AJ00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3SE5000-0AJ00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SE5000-0AJ00&lang=en



last modified:

10/25/2019